




evo





Evolution of the Door Handle

The Evo door handle range sets a new standard in UPVC door hardware, engineered to deliver exceptional strength, style, and reliability. Designed with versatility in mind, it seamlessly supports a wide range of uPVC door configurations and works effortlessly with standard multipoint locking mechanisms, making it the perfect choice for both upgrades and new installations. Available in popular PZ centre sizes including 68mm, 70mm, and 92mm, the Evo range ensures a fast, hassle-free fit with existing door setups, saving time on installation without compromising on performance.

Built to last, every Evo handle is salt-spray tested for up to 480 hours, offering outstanding resistance to corrosion. Whether installed in coastal environments or exposed to the elements daily, you can trust Evo to maintain its strength and finish over time.

We're so confident in the quality and durability of the Evo range that every handle comes with a 10-year, no-quibble guarantee, giving you complete peace of mind with every installation.

Contents

Code	Finish	Lock Centres	Screw Centres	Back Plate	Type	Page
AS12657	White	68mm 	215mm	245mm x 32mm	Lever/Pad	6
AS12658	Pol. Brass					
AS12508	White	68mm 	215mm	246mm x 32mm	Lever/ Lever	7
AS12509	Pol. Chrome					
AS12510	Pol. Brass					
AS12511	Silver					
AS12512	Black					
AS12513	White	70mm 	215mm	246mm x 32mm	Lever/ Lever	8
AS12515	White	92mm 	122mm	212mm x 34mm	Lever/ Lever	9
AS12516	Pol. Chrome					
AS12517	Pol. Brass					
AS12518	Silver					
AS12519	Black					
AS12502	White	92mm 	203mm	232mm X 32mm	Lever/ Lever	10
AS12521	White	92mm 	210mm	242mm x 34mm	Lever/ Lever	11
AS12522	Pol. Chrome					
AS12523	Pol. Brass					
AS12524	Silver					
AS12525	Black					
AS12520	White	92mm 	122mm	245mm x 34mm	Lever/ Lever	12
AS12647	Pol. Chrome					
AS12648	Pol. Brass					
AS12503	White	92mm 	215mm	246mm x 32mm	Lever/ Lever	13
AS12504	Pol. Chrome					
AS12505	Pol. Brass					
AS12506	Silver					
AS12507	Black					

Table continues onto next page.

Contents

Code	Finish	Lock Centres	Screw Centres	Back Plate	Type	Page
AS12514	White	92mm 	240mm	270mm x 32mmv	Lever/ Lever	14
AS12526	White	92/62mm 	212mm	245mm x 34mm	Lever/ Pad	15
AS12649	Pol. Chrome					
AS12650	Pol. Brass					
AS12651	Silver					
AS12656	White	117mm 	237mm	267mm x 32mm	Lever/ Lever	16

Multi Point Door Handle Lever/Pad

LOCK CENTRES
68MM

SCREW CENTRES
215MM

BACK PLATE
245MM

DESCRIPTION


A high quality durable multi point door handle, compatible with most multi point locks. Cycle tested for over 50,000 operations. Salt-spray tested for up to 480 hours.

SUPPLIED WITH

- 1x Spindle 125mm (L) x 8mm (W)
- 2x Colour co-ordinated fixings 75mm
- 2x Colour co-ordinated fixings 85mm
- 2x Removable Spring Cassettes

SPECIFICATION

- Backplate: H 245mm x W 32mm
- Screw centres: 215mm
- Centres: 68mm
- Top screw to spindle: 108mm
- Base of euro to bottom screw: 15mm



AS12657
WHITE

AS12658
POL. BRASS

BACKPLATE 245MM

SCREW CENTRES 215MM

LOCK CENTRES 68MM

Multi Point Door Handle Lever/Lever

LOCK CENTRES
68MM

SCREW CENTRES
215MM

BACK PLATE
246MM

DESCRIPTION


A high quality durable multi point door handle, compatible with most multi point locks. Cycle tested for over 50,000 operations. Salt-spray tested for up to 480 hours.

SUPPLIED WITH

- 1x Spindle 125mm (L) x 8mm (W)
- 2x Colour co-ordinated fixings 75mm
- 2x Colour co-ordinated fixings 85mm
- 2x Removable Spring Cassettes

SPECIFICATION

- Backplate: H 246mm x W 32mm
- Screw centres: 215mm
- Centres: 68mm
- Top screw to spindle: 108mm
- Base of euro to bottom screw: 15mm



AS12508
WHITE

AS12509
POL. CHROME

AS12510
POL. BRASS

AS12511
SILVER

AS12512
BLACK

BACKPLATE 246MM

SCREW CENTRES 215MM

LOCK CENTRES 68MM

Multi Point Door Handle Lever/Lever

LOCK CENTRES
70MM

SCREW CENTRES
215MM

BACK PLATE
246MM

DESCRIPTION


A high quality durable multi point door handle, compatible with most multi point locks. Cycle tested for over 50,000 operations. Salt-spray tested for up to 480 hours.

SUPPLIED WITH

- 1x Spindle 125mm (L) x 8mm (W)
- 2x Colour co-ordinated fixings 75mm
- 2x Colour co-ordinated fixings 85mm
- 2x Removable Spring Cassettes

SPECIFICATION

- Backplate: H 246mm x W 32mm
- Screw centres: 215mm
- Centres: 70mm
- Top screw to spindle: 106mm
- Base of euro to bottom screw: 15mm



AS12513
WHITE

BACKPLATE 246MM

SCREW CENTRES 215MM

LOCK CENTRES 70MM

Multi Point Door Handle Lever/Lever

LOCK CENTRES
92MM

SCREW CENTRES
122MM

BACK PLATE
212MM

DESCRIPTION


A high quality durable multi point door handle, compatible with most multi point locks. Cycle tested for over 50,000 operations. Salt-spray tested for up to 480 hours.

SUPPLIED WITH

- 1x Spindle 125mm (L) x 8mm (W)
- 2x Colour co-ordinated fixings 75mm
- 2x Colour co-ordinated fixings 85mm
- 2x Removable Spring Cassettes

SPECIFICATION

- Backplate: H 212mm x W 34mm
- Screw centres: 122mm
- Centres: 92mm
- Top screw to spindle: 22mm
- Base of euro to bottom screw: 26mm



AS12515
WHITE

AS12516
POL. CHROME

AS12517
POL. BRASS

AS12518
SILVER

AS12519
BLACK

BACKPLATE 212MM

SCREW CENTRES 122MM

LOCK CENTRES 92MM

Multi Point Door Handle Lever/Lever

LOCK
CENTRES
92MM

SCREW
CENTRES
203MM

BACK
PLATE
232MM

DESCRIPTION


A high quality durable multi point door handle, compatible with most multi point locks. Cycle tested for over 50,000 operations. Salt-spray tested for up to 480 hours.

SUPPLIED WITH

- 1x Spindle 125mm (L) x 8mm (W)
- 2x Colour co-ordinated fixings 75mm
- 2x Colour co-ordinated fixings 85mm
- 2x Removable Spring Cassettes

SPECIFICATION

- Backplate: H 232mm x W 32mm
- Screw centres: 203mm
- Centres: 92mm
- Top screw to spindle: 48mm
- Base of euro to bottom screw: 40mm



AS12502
WHITE

BACKPLATE 232MM

SCREW CENTRES 203MM

LOCK CENTRES 92MM

Multi Point Door Handle Lever/Lever

LOCK CENTRES
92MM

SCREW CENTRES
210MM

BACK PLATE
242MM

DESCRIPTION


A high quality durable multi point door handle, compatible with most multi point locks. Cycle tested for over 50,000 operations. Salt-spray tested for up to 480 hours.

SUPPLIED WITH

- 1x Spindle 125mm (L) x 8mm (W)
- 2x Colour co-ordinated fixings 75mm
- 2x Colour co-ordinated fixings 85mm
- 2x Removable Spring Cassettes

SPECIFICATION

- Backplate: H 242mm x W 34mm
- Screw centres: 210mm
- Centres: 92mm
- Top screw to spindle: 75mm
- Base of euro to bottom screw: 20mm



AS12521
WHITE

AS12522
POL. CHROME

AS12523
POL. BRASS

AS12524
SILVER

AS12525
BLACK

BACKPLATE 242MM

SCREW CENTRES 210MM

LOCK CENTRES 92MM

Multi Point Door Handle Lever/Lever

LOCK CENTRES
92MM

SCREW CENTRES
122MM

BACK PLATE
245MM

DESCRIPTION


A high quality durable multi point door handle, compatible with most multi point locks. Cycle tested for over 50,000 operations. Salt-spray tested for up to 480 hours.

SUPPLIED WITH

- 1x Spindle 125mm (L) x 8mm (W)
- 2x Colour co-ordinated fixings 75mm
- 2x Colour co-ordinated fixings 85mm
- 2x Removable Spring Cassettes

SPECIFICATION

- Backplate: H 245mm x W 34mm
- Screw centres: 122mm
- Centres: 92mm
- Top screw to spindle: 22mm
- Base of euro to bottom screw: 27mm



AS12520
WHITE

AS12647
POL. CHROME

AS12648
POL. BRASS

BACKPLATE 245MM

SCREW CENTRES 122MM

LOCK CENTRES 92MM

Multi Point Door Handle Lever/Lever

LOCK CENTRES
92MM

SCREW CENTRES
215MM

BACK PLATE
246MM

DESCRIPTION


A high quality durable multi point door handle, compatible with most multi point locks. Cycle tested for over 50,000 operations. Salt-spray tested for up to 480 hours.

SUPPLIED WITH

- 1x Spindle 125mm (L) x 8mm (W)
- 2x Colour co-ordinated fixings 75mm
- 2x Colour co-ordinated fixings 85mm
- 2x Removable Spring Cassettes

SPECIFICATION

- Backplate: H 246mm x W 32mm
- Screw centres: 215mm
- Centres: 92mm
- Top screw to spindle: 75mm
- Base of euro to bottom screw: 23mm



AS12503
WHITE

AS12504
POL. CHROME

AS12505
POL. BRASS

AS12506
SILVER

AS12507
BLACK

BACKPLATE 246MM

SCREW CENTRES 215MM

LOCK CENTRES 92MM

Multi Point Door Handle Lever/Lever

LOCK CENTRES
92MM

SCREW CENTRES
240MM

BACK PLATE
270MM

DESCRIPTION


A high quality durable multi point door handle, compatible with most multi point locks. Cycle tested for over 50,000 operations. Salt-spray tested for up to 480 hours.

SUPPLIED WITH

- 1x Spindle 125mm (L) x 8mm (W)
- 2x Colour co-ordinated fixings 75mm
- 2x Colour co-ordinated fixings 85mm
- 2x Removable Spring Cassettes

SPECIFICATION

- Backplate: H 270mm x W 32mm
- Screw centres: 240mm
- Centres: 92mm
- Top screw to spindle: 106mm
- Base of euro to bottom screw: 17mm



AS12514
WHITE

BACKPLATE 270MM

SCREW CENTRES 240MM

LOCK CENTRES 92MM

Multi Point Door Handle Lever/Pad

LOCK CENTRES 92/62MM	SCREW CENTRES 212MM	BACK PLATE 245MM
--------------------------------	-------------------------------	----------------------------

DESCRIPTION


A high quality durable multi point door handle, compatible with most multi point locks. Cycle tested for over 50,000 operations. Salt-spray tested for up to 480 hours.

SUPPLIED WITH


- 1x Spindle 125mm (L) x 8mm (W)
- 2x Colour co-ordinated fixings 75mm
- 2x Colour co-ordinated fixings 85mm
- 2x Removable Spring Cassettes

SPECIFICATION

Backplate: H 245mm x W 34mm
 Screw centres: 212mm
 Centres: 92/62mm
 Top screw to spindle: 105mm & 75mm
 Base of euro to bottom screw: 20mm



AS12526 WHITE	AS12649 POL. CHROME
AS12650 POL. BRASS	AS12651 SILVER



BACKPLATE 245MM

SCREW CENTRES 212MM

LOCK CENTRES 92/62MM

Multi Point Door Handle Lever/Lever

LOCK CENTRES
117MM

SCREW CENTRES
237MM

BACK PLATE
267MM

DESCRIPTION


A high quality durable multi point door handle, compatible with most multi point locks. Cycle tested for over 50,000 operations. Salt-spray tested for up to 480 hours.

SUPPLIED WITH

- 1x Spindle 125mm (L) x 8mm (W)
- 2x Colour co-ordinated fixings 75mm
- 2x Colour co-ordinated fixings 85mm
- 2x Removable Spring Cassettes

SPECIFICATION

- Backplate: H 267mm x W 32mm
- Screw centres: 237mm
- Centres: 117mm
- Top screw to spindle: 82mm
- Base of euro to bottom screw: 10mm



AS12656
WHITE

BACKPLATE 267MM

SCREW CENTRES 237MM

LOCK CENTRES 117MM



www.asec.co.uk



5 056240 171197 >