



# AirShield Wireless Security Systems



This **EN 50131 Grade-2** compliant system offers reliable, easy-to-use protection. The new **HUB 2** integrates with the **AirShield External Wireless PIR Camera** for a comprehensive, wire-free security solution.

Dahua wireless external detectors connect to an external **12V power supply module** for increased flexibility, easier maintenance in harsh weather, and seamless integration with Remote Alarm Towers and the cloud (DoLynk Care).



Simple  
Integration



Remote  
Management  
(DMSS)



DoLynk Care  
Cloud Management



Real-Time  
Notifications




Highly  
Compatible

# Contents

- 4** HDCVI Cameras
- 9** HDCVI Recorders
- 12** IP Cameras
- 19** PTZ Cameras
- 22** Mounting Accessories
- 27** Network Video Recorders
- 31** Network Switches
- 33** Network Cables
- 36** Transmission
- 38** Monitors
- 41** Video Intercom Systems
- 44** Video Intercom Systems Accessories
- 46** Intruder Alarm
- 48** Intruder Alarm Accessories

# HDCVI Cameras

## HDCVI Cameras (Analogue):





### DAHUA HDCVI Bullet Camera 5MP 16:9 Active Deterrence Dual Illumination 12V DC

- Max 25 fps@5MP (16:9 video output)
- Smart Dual Illuminators
- 3.6 mm fixed lens
- Built in microphone
- CVI/CVBS/AHD/TVI switchable
- 120 dB true WDR, 3D NR

---

**L36206** 5MP White

---



### DAHUA HDCVI Bullet Camera 5MP 16:9 Dual Illumination Starlight IR 12V DC

- Max 25 fps@5MP (16:9 video output)
- Smart Dual Illuminators
- 3.6 mm fixed lens
- Built in microphone
- CVI/CVBS/AHD/TVI switchable
- 120 dB true WDR, 3D NR

---

**L36205** 5MP White

---





### DAHUA HDCVI Bullet Camera 5MP 16:9 Full Colour Starlight IR 12V DC

- Max 25 fps@5MP (16:9 video output)
- 3.6 mm fixed lens
- 5MP resolution Full Colour
- Built in microphone
- CVI/CVBS/AHD/TVI switchable
- 120 dB true WDR, 3D NR

---

**L36204** 5MP White

---



### DAHUA HDCVI Bullet Camera 5MP 16:9 Starlight IR 12V DC

- Max 25 fps@5MP (16:9 video output)
- 3.6 mm fixed lens
- 5MP resolution
- Built in microphone
- CVI/CVBS/AHD/TVI switchable

---

**L36203** 5MP White

---





### DAHUA HDCVI Turret Dome Camera 5MP 16:9 12V DC

- Max 25 fps@5MP (16:9 video output)
- Smart Dual Illuminators
- 3.6 mm fixed lens
- 5MP resolution
- Built in microphone
- CVI/CVBS/AHD/TVI switchable

---

**L36200** 5MP White

---



### DAHUA HDCVI Turret Dome Camera 5MP Full Colour 40 Metre IR 12V DC

- Max 25 fps@5MP (16:9 video output)
- CVI/CVBS/AHD/TVI switchable
- Built in Microphone
- Max IR length: 40 metres
- HDCVI camera

---

**L36199** 5MP White

---





### DAHUA HDCVI Mini Turret Dome Camera 5MP 30 Metre IR 12V DC

- Max 25 fps@5MP (16:9 video output)
- CVI/CVBS/AHD/TVI switchable
- Built in Microphone
- Max IR length: 30 metres
- HDCVI camera

---

**L36198** 5MP White

---



### DAHUA HDCVI Turret Dome Camera Active Deterrence 16:9 12V DC

- Max 25 fps@5MP (16:9 video output)
- Smart Dual Illuminators
- 3.6 mm fixed lens
- Built in microphone
- CVI/CVBS/AHD/TVI switchable
- 120 dB true WDR, 3D NR

---

**L36201** 5MP White

---


**L36202** 8MP White

---



# HDCVI Recorders

## HDCVI Recorders (XVR):





### DAHUA HDCVI Recorder WizSense 4 Channel Penta-Brid Compact 1U 4K/5MP (7FPS/12FPS)

- H.265+/H.265 dual-stream video compression
- Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- Supports all-channels AI Coding
- Max 8 channels IP camera inputs; each channel up to 8MP; Max 64 Mbps incoming bandwidth
- IoT & POS functionalities
- 1 x rear/1 x front USB ports; 1 x HDMI; 1 x VGA

---

**L36212** No HDD

---

**L36213** 1TB HDD

---

**L36214** 2TB HDD

---

**L36215** 4TB HDD



### DAHUA HDCVI Recorder WizSense 8 Channel Penta-Brid Compact 1U 4K/5MP (7FPS/12FPS)

- H.265+/H.265 dual-stream video compression
- Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- Supports full channel AI Coding
- Max 16 channels IP camera inputs; each channel up to 8MP; Max 128 Mbps incoming bandwidth
- IoT & POS functionalities
- 1 x rear/1 x front USB ports; 1 x HDMI; 1 x VGA

---

**L36216** No HDD

---

**L36217** 2TB HDD

---

**L36218** 4TB HDD

---

**L36219** 6TB HDD

---

**L36220** 8TB HDD





### DAHUA HDCVI Recorder WizSense 16 Channel Penta-Brid Compact 1U 4K/5MP (7FPS/12FPS)

- H.265+/H.265 dual-stream video compression
- Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- 16 channel AI coding saves on storage and bandwidth
- Max 32 channels IP camera inputs; each channel up to 8MP; Max 128 Mbps incoming bandwidth
- IoT & POS functionalities
- 1 x rear/1 x front USB ports; 1 x HDMI; 1 x VGA

---

**L36221** No HDD

---

**L36222** 4TB HDD

---

**L36223** 6TB HDD

---

**L36224** 8TB HDD

---

**L36225** 12TB HDD

---

**L36226** 16TB HDD



### DAHUA HDCVI Recorder WizSense 4 Channel Penta-Brid Smart Box 4K/5MP (7FPS/12FPS)

- H.265+/H.265 dual-stream video compression
- Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- Supports all-channels AI Coding
- Max 8 channels IP camera inputs; each channel up to 8MP; Max 64 Mbps incoming bandwidth
- IoT & POS functionalities
- 2 x rear USB ports; 1 x HDMI; 1 x VGA

---

**L36208** No HDD

---

**L36209** 1TB HDD

---

**L36210** 2TB HDD


---

**L36211** 4TB HDD



# IP Cameras

## IP Cameras:





### DAHUA IP Bullet 5MP WizSense Series 3 Network Camera 50 Metre IR 12V DC

- Smart dual light technology
- Smart Motion Detection (SMD 4)
- Perimeter protection technology
- AI Scene Self-Adaption (AI SSA)
- Built in microphone
- 12V DC/PoE power supply

---

**L36164** 5MP White

---



### DAHUA IP Bullet 6MP Entry Series Network Camera 12V DC

- Smart dual light technology
- Supports human detection
- 1/2.7" CMOS image sensor - low luminance and high definition range
- H.265 codec
- Built in microphone
- 12V DC/PoE power supply

---

**L36161** 6MP White

---





### DAHUA IP Bullet WizSense Series 2 Network Camera 12V DC

- Smart dual light technology
- Smart Motion Detection (SMD Plus)
- Perimeter protection technology
- IP67 rating
- Built in microphone
- 12V DC/PoE power supply

---

**L36162** 4MP White

---

**L36163** 8MP White

---



### DAHUA IP Bullet WizSense Series 3 Network Camera With Active Deterrence 50 Metre IR 12V DC

- Smart dual light technology
- Smart Motion Detection (SMD 4)
- Perimeter protection technology
- AI Scene Self-Adaption (AI SSA)
- Built in microphone
- 12V DC/PoE power supply

---

**L36165** 6MP White

---





**DAHUA IP Mini VR Dome 4MP  
WizSense Series 2 Network Camera  
30 Metre IR IK10 12V DC**

- Smart dual light technology
- Smart Motion Detection (SMD Plus)
- Perimeter protection technology
- IK10 vandal protection
- Built in microphone
- 12V DC/PoE power supply

---

**L36149** Supports Micro SD Card

---



**DAHUA IP Mini VR Dome 5MP  
WizSense Series 3 Network Camera  
50 Metre IR IK10 12V DC**

- Smart dual light technology
- Smart Motion Detection (SMD 4)
- Perimeter protection technology
- AI Scene Self-Adaption (AI SSA)
- Built in microphone
- 12V DC/PoE power supply

---

**L36156** Supports Micro SD Card

---





### DAHUA IP Turret Dome 4MP WizSense Series 2 Network Camera 12V DC

- Smart dual light technology
- Smart Motion Detection (SMD Plus)
- Perimeter protection technology
- IP67 rating
- Built in microphone
- 12V DC/PoE power supply

---

**L36150** 4MP White

---

**L36151** 4MP Grey

---

**L36152** 4MP Black



### DAHUA IP Turret Dome 5MP WizSense Series 3 Network Camera 50 Metre IR 12V DC

- Smart dual light technology
- Smart Motion Detection (SMD 4)
- Perimeter protection technology
- AI Scene Self-Adaption (AI SSA)
- Built in microphone
- 12V DC/PoE power supply

---

**L36157** 5MP White





### DAHUA IP Turret Dome 8MP WizSense Series 2 Network Camera IP67 12V DC

- Smart dual light technology
- Smart Motion Detection (SMD Plus)
- Perimeter protection technology
- IP67 rating
- Built in microphone
- 12V DC/PoE power supply

---

**L36153** 8MP White

---

**L36154** 8MP Grey

---

**L36155** 8MP Black



### DAHUA IP Turret Dome Entry Series Network Camera 12V DC

- Smart dual light technology
- Supports human detection
- 1/2.7" CMOS image sensor - low luminance and high definition range
- H.265 codec
- Built in microphone
- 12V DC/PoE power supply

---

**L36147** 6 MP (1/27" CMOS Sensor)

---

**L36148** 8 MP (1/27" CMOS Sensor)





### DAHUA IP Turret Dome WizSense Series 3 Network Camera With Active Deterrence 30 Metre IR 12V DC

- Smart dual light technology
- Smart Motion Detection (SMD 4)
- Perimeter protection technology
- AI Scene Self-Adaption (AI SSA)
- Built in microphone
- 12V DC/PoE power supply

---

**L36158** 6MP White

---

**L36159** 8MP White


---

**L36160** 8MP Black

---

# PTZ Cameras

## PTZ Cameras:





### DAHUA HDCVI PTZ Camera SD49 Series 2MP Optical Zoom IP66 12V DC Including Wall Bracket

- Max. 25/30 fps@1080P, 25/30/50/60 fps@720P
- IR distance up to 100 metres
- Starlight technology
- 25 x Optical Zoom
- 120 dB true WDR, 3D NR

---

**L36207** 2MP White

---



### DAHUA IP PTZ WizSense 4MP + 8MP Network TiOC Camera With Starlight IR 25 x Optical Zoom Active Deterrence 12V DC

- Smart dual light technology
- Smart Motion Detection (SMD 4) & Perimeter protection technology
- Starlight IR technology
- 25 x Optical Zoom
- IP66 rating
- 12V DC/PoE power supply

---

**L36168** 4MP + 8MP White

---



### DAHUA IP PTZ WizSense 4MP Network Camera With Starlight IR 25 x Optical Zoom 12V DC

- Smart dual light technology
- Smart Motion Detection (SMD 4) & Perimeter protection technology
- Starlight IR technology
- 25 x Optical Zoom
- IP66 rating
- 12V DC/PoE power supply

---

**L36167** 4MP White

---



### DAHUA IP PTZ WizSense 4MP Network TiOC Camera With 5 x Optical Zoom Active Deterrence 50 Metre IR 12V DC

- Smart dual light technology
- Smart Motion Detection (SMD 3) & Perimeter protection technology
- 5 x Optical Zoom
- Two way talk - Built in microphone & speaker
- IP66 rating
- 12V DC/PoE power supply

---

**L36166** 4MP White

---



# Mounting Accessories



### DAHUA PFA130-E Round Aluminium Waterproof Junction Box

- Neat and integrated design
- Aluminium construction
- Waterproof

---


**L36259** White PFA130-E

---

**L36260** Grey PFA130-E-G

---

**L36261** Black PFA130-E-B



### DAHUA PFA134 Round Aluminium Waterproof Junction Box

- Neat and integrated design
- Aluminium & SECC construction
- Waterproof

---

**L36253** White PFA134





### DAHUA PFA136 Round Aluminium Junction Box To Suit HDBW-EP Mini VR Dome And EB Series Mini Fisheye Cameras

- Aesthetic design
- Aluminium construction
- To suit the HDBW-EP Mini VR dome and EB series mini fisheye ranges of cameras

---

**L36254** White PFA136

---



### DAHUA PFA137 Round Aluminium Junction Box

- Aesthetic design
- Aluminium construction

---

**L36255** White PFA137

---

**L36256** Dark Grey PFA137-G

---

**L36257** Black PFA137-B

---





### DAHUA PFA139 Round Aluminium Junction Box To Suit HDBW-FP And HWD-EMP Series Cameras

- Aesthetic design
- Aluminium construction
- To suit HDBW-FP and HWD-EMP series of cameras

---

**L36258** White PFA139

---



### DAHUA PFA13A-E-V2 Round Aluminium Junction Box For TP/TLP Series Turret Dome Cameras


- Aesthetic design
- Aluminium construction
- To suit the TP/TLP series of cameras

---

**L36252** White PFA13A-E-V2

---





### DAHUA PFA152-E Pole Mount Bracket

- Aesthetic design
- Aluminium and SUS304 stainless steel
- Dedicated for particular cameras
- For pole mounting

---

**L36265** White PFA152-E

---



### DAHUA PFB205W-E Wall Mount Bracket

- Neat and integrated design
- Aluminium construction
- Dedicated for particular cameras
- Suitable for wall mounting

---

**L36262** White PFB205W-E

---

**L36263** Grey PFB205W-E-G

---


**L36264** Black PFB205W-E-B

---



# Network Video Recorders

## Network Video Recorders (NVR):



\*Tip:  
The 4KS2 NVR will no longer be supported – its replacement model is the EI series.

The –I NVR will no longer be supported – its replacement model is the XI series, which means all Dahua NVRs on sale now are all AI NVRs.

EI refers to medium-level AI  
XI refers to high-level AI



**DAHUA NVR 4000 Series 16 Channel  
WizSense AI 256Mbps/180Mbps  
(AI Enabled) Incoming Bandwidth,  
4K Output NVR4216-16P-EI**

- Smart H.265+/H.265/Smart H.264+/H.264/MJPEG decoding format.
- Max. decoding capability: 16 × 1080p at 30 fps (Supports adaptive decoding)
- AI by NVR: 1-channel face detection and recognition; 2-channel perimeter protection; up to 10 face databases and 20,000 face images; 4-channel SMD Plus.
- AI by Camera: Face detection and recognition, perimeter protection; SMD Plus; people counting; stereo analysis; heat map.
- 1 x rear & 1 x front USB ports / 1 x HDMI / 1 x VGA
- Power supply: 100-240V AC, 47-63Hz

**L36182** No HDD

**L36183** 4TB HDD

**L36184** 6TB HDD

**L36185** 8TB HDD

**L36186** 12TB HDD

**L36187** 16TB HDD



**DAHUA NVR 4000 Series 4  
Channel WizSense AI 4 x POE,  
80Mbps Incoming Bandwidth,  
4K Output NVR4104HS-P-EI**

- Smart H.265+/H.265/Smart H.264+/H.264/MJPEG decoding format.
- Max. decoding capability: 16 × 1080p at 30 fps (Supports adaptive decoding)
- AI by NVR: 1-channel face detection and recognition; 2-channel perimeter protection; up to 10 face databases and 20,000 face images; 4-channel SMD Plus.
- AI by Camera: Face detection and recognition, perimeter protection; SMD Plus; people counting; stereo analysis; heat map.
- 1 x rear & 1 x front USB ports / 1 x HDMI / 1 x VGA
- Power supply: 53V DC, 1.226 A

**L36173** No HDD

**L36174** 1TB HDD

**L36175** 2TB HDD

**L36176** 4TB HDD





**DAHUA NVR 4000 Series 4 Channel  
WizSense AI Smart Box 4 x POE,  
80Mbps Incoming Bandwidth,  
4K Output NVR4104-P-EI**

- Smart H.265+/H.265/Smart H.264+/H.264/MJPEG decoding format.
- Max. decoding capability: 16 × 1080p at 30 fps (Supports adaptive decoding)
- AI by NVR: 1-channel face detection and recognition; 2-channel perimeter protection; up to 10 face databases and 20,000 face images; 4-channel SMD Plus.
- AI by Camera: Face detection and recognition, perimeter protection; SMD Plus; people counting; stereo analysis; heat map.
- 2 rear USB ports / 1 x HDMI / 1 x VGA
- Power supply: 53V DC, 1.226 A

---

**L36169** No HDD

---

**L36170** 1TB HDD

---

**L36171** 2TB HDD

---

**L36172** 4TB HDD



**DAHUA NVR 4000 Series 8 Channel  
WizSense AI 256Mbps/180Mbps  
(AI Enabled) Incoming Bandwidth,  
4K Output NVR4108HS-8P-EI**

- Smart H.265+/H.265/Smart H.264+/H.264/MJPEG decoding format.
- Max. decoding capability: 16 × 1080p at 30 fps (Supports adaptive decoding)
- AI by NVR: 1-channel face detection and recognition; 2-channel perimeter protection; up to 10 face databases and 20,000 face images; 4-channel SMD Plus.
- AI by Camera: Face detection and recognition, perimeter protection; SMD Plus; people counting; stereo analysis; heat map.
- 1 x rear & 1 x front USB ports / 1 x HDMI / 1 x VGA
- Power supply: 53V DC, 1.226 A

---

**L36177** No HDD

---

**L36178** 2TB HDD

---

**L36179** 4TB HDD

---

**L36180** 6TB HDD

---

**L36181** 8TB HDD



To order or for more information, contact a member of our dedicated Access Control Team. Call **0203 007 6061** or email [sales@aldridgeaccess.co.uk](mailto:sales@aldridgeaccess.co.uk)



**DAHUA NVR 5000 Series 8 Channel  
WizSense AI 384Mbps/200Mbps  
(AI Enabled) Incoming Bandwidth,  
4K Output NVR5208-8P-EI**

- Smart H.265+/H.265/Smart H.264+/H.264/MJPEG decoding format.
- Max. decoding capability: 32 × 1080p at 30 fps or 8 × 8MP@30 fps
- AI by NVR: 2-channel face detection and recognition; 4-channel perimeter protection; up to 20 face databases and 20,000 face images; 8-channel SMD Plus.
- AI by Camera: Face detection and recognition, perimeter protection; SMD Plus; metadata, ANPR, people counting; stereo analysis and heat map.
- 1 x rear & 1 x front USB ports / 1 x HDMI / 1 x VGA
- Power supply: 100-240V AC, 47-63Hz

---

**L36188** No HDD

---

**L36189** 4TB HDD

---

**L36190** 6TB HDD

---

**L36191** 8TB HDD



**DAHUA NVR 5000 Series 16 Channel  
WizSense AI 384Mbps/200Mbps  
(AI Enabled) Incoming Bandwidth,  
4K Output NVR5216-16P-EI**

- Smart H.265+/H.265/Smart H.264+/H.264/MJPEG decoding format.
- Max. decoding capability: 32 × 1080p at 30 fps or 16 × 4MP@30 fps
- AI by NVR: 2-channel face detection and recognition; 4-channel perimeter protection; up to 20 face databases and 20,000 face images; 8-channel SMD Plus.
- AI by Camera: Face detection and recognition, perimeter protection; SMD Plus; metadata, ANPR, people counting; stereo analysis and heat map.
- 1 x rear & 1 x front USB ports / 1 x HDMI / 1 x VGA
- Power supply: 100-240V AC, 47-63Hz

---

**L36192** No HDD

---

**L36193** 4TB HDD

---

**L36194** 6TB HDD

---

**L36195** 8TB HDD

---

**L36196** 12TB HDD

---


**L36197** 16TB HDD



To order or for more information, contact a member of our dedicated Access Control Team. Call **0203 007 6061** or email [sales@aldridgeaccess.co.uk](mailto:sales@aldridgeaccess.co.uk)

# Network Switches

## Network Switches:





### DAHUA Network Switch 6 Ports (4 x PoE) Cloud Management Via Dolyнк CS4006-4ET-60

- Fully enclosed metal casing
- 6 ports - 4 x PoE
- Hi-PoE 60W (Orange Port)
- Cloud management via DoLynk

---

**L36244** 4 x PoE Ports

---



### DAHUA Network Switch 10 Ports (8 x PoE) Cloud Management Via Dolyнк CS4010-8ET-110

- Fully enclosed metal casing
- 10 ports - 8 x PoE
- Hi-PoE 90W (Red Port)
- Cloud management via DoLynk

---

**L36245** 8 x PoE Ports

---



# Network Cables




### DAHUA UTP CAT5e Network Cable 305 Metre Box PFM920I-5EUN

- High purity oxygen free copper conductor
- Customised PVC outer sheath: CE CPR Eca flame retardant class certified
- 305 metre (1000 foot) box
- UTP CAT5e, PoE, compatible with one cable
- 4.7mm diameter sheath (+/- 0.3mm)

---

**L36266** White CAT5e

---




### DAHUA UTP CAT6 Network Cable 305 Metre Box PFM923I-6UN-C

- High purity oxygen free copper conductor
- Customised PVC outer sheath: CE CPR Eca flame retardant class certified
- 305 metre (1000 foot) box
- UTP CAT6, PoE, compatible with one cable
- 6mm diameter sheath (+/- 0.3mm)

---

**L36267** White CAT6

---




### DAHUA UTP External CAT5e Network Cable 305 Metre Box PFM920-5EU

- High purity oxygen free copper conductor
- Customised MDPE outer sheath: ANSI/TIA 568-C.2 flame retardant class certified
- 305 metre (1000 foot) box
- UTP CAT5e, PoE, compatible with one cable
- 5.2mm diameter sheath (+/- 0.4mm)
- Outdoor cable

---

**L36268** Black CAT5e

---



### DAHUA UTP External CAT6 Network Cable 305 Metre Box PFM920-6U

- High purity oxygen free copper conductor
- Customised MDPE outer sheath: ANSI/TIA 568-C.2 flame retardant class certified
- 305 metre (1000 foot) box
- UTP CAT5e, PoE, compatible with one cable
- 6.2mm diameter sheath (+/- 0.4mm)
- Outdoor cable

---

**L36269** Black CAT6

---

# Transmission

### DAHUA Video HDMI Extender PFM700-E Includes Transmitter & Receiver



- Real-time transmission HDMI video signal
- HDMI transmission distance 50m (max.164ft), with CAT6 of pure copper cable
- Support to transmit one-way infrared remote control signal
- Excellent anti-thunder, anti-static and anti-interference capabilities
- No need to install driver program and set network parameters
- Transmitter and receiver included

---

**L36251** 1 Channel HDMI Transmission

---



### DAHUA HDCVI 4K Passive Video Transceiver Balun PFM800-4K Pigtail Design (Pack Of 2)



- With female BNC connector, and pluggable screw terminal connections
- Compatible format: HDCVI/TVI/AHD/CVBS
- Real-time transmission over UTP CAT5E/6 cable
- Excellent anti-thunder, anti-static and anti-interference capabilities
- 1 channel passive video balun
- Sold in pairs

---

**L36246** Black

---



# Monitors



### DAHUA Monitor LM22-H200 LED Backlit With Full HD Display 21.5 Inch Screen

- Suitable for continuous 24/7 operation
- Narrow bezel design with ultra light base
- Quick response time of 6 seconds
- Low energy consumption
- Full HD 1920 x 1080 resolution
- ELED backlit panel

---

**L36247** Black

---



### DAHUA Monitor LM24-H200 LED Backlit With Full HD Display 24 Inch Screen

- Suitable for continuous 24/7 operation
- Narrow bezel design with ultra light base
- Quick response time of 5 seconds
- Low energy consumption
- Full HD 1920 x 1080 resolution
- ELED backlit panel

---

**L36248** Black

---





### DAHUA Monitor LM32-F200 LED Backlit With Full HD Display 32 Inch Screen

- Suitable for continuous 24/7 operation
- High fidelity digital processing
- Fast response time of 8 seconds
- Physical button and infrared remote dual control
- Resolution: 1920 x 1080 (FHD)
- LED backlit panel

---

**L36249** Black

---



### DAHUA Monitor LM43-F200 LED Backlit With Full HD Display 43 Inch Screen

- Suitable for continuous 24/7 operation
- High fidelity digital processing
- Fast response time of 8 seconds
- Physical button and infrared remote dual control
- Resolution: 1920 x 1080 (FHD)
- LED backlit panel

---

**L36250** Black

---



# Video Intercom Systems



### DAHUA Video Door Entry VTH2 Series Indoor Monitor IP Economy 7 Inch Touchscreen

- 7" TFT capacitive touch screen (1024 x 600)
- Alarm integration
- IPC surveillance
- Built in 1.5W speaker
- Surface mounted

---

**L36231** Black

---

**L36232** White

---



### DAHUA Video Door Entry VTH5 Series Indoor Monitor IP Wi-Fi Android 7 Inch Touchscreen

- 7" TFT capacitive touch screen (1024 x 600)
- Alarm integration
- IPC surveillance
- Built in 1W speaker
- Android 8.1 operating system
- Ethernet & Wi-Fi

---

**L36233** Black

---

**L36234** White

---



### DAHUA Video Door Entry IP Villa Outdoor Panel 2MP Fisheye Camera VTO2202F-P-S2

- IP network video door entry panel
- IP65 & IK07 rated
- Compatible with 2-wire interface and RJ45 interface
- Access control function that supports two locks
- Video intercom function
- Works with an app

---

**L36228** Anodised Aluminium

---



### DAHUA Video Door Entry Slim Panel Wi-Fi Single Button 2MP Camera With Rainshield VTO2311R-WP

- Wi-Fi connection
- IP65 Rated
- Unlock with IC card, app or indoor monitor
- Built in speaker
- Slim design
- IR illumination and auto WDR

---

**L36227** Grey

---



# **Video Intercom Systems Accessories**




### DAHUA Video Door Entry Surface Mount Rainshield VTM05R

- Aluminium alloy casing
- Dimensions: 141.1mm x 101.6mm x 48.5mm (5.56" x 4" x 1.91")

---

**L36230** Silver

---



### DAHUA Video Door Entry Flush Mount Plate VTM114

- Material: ADC12
- To enable flush mounting of VTO2202F & VTO2202F-P video door entry panels
- Front Dimensions: 128.9mm x 162.9mm x 34.5mm (5.08" x 6.42" x 1.36")
- Rear Dimensions: 123.0mm x 157.0mm x 35.0mm (4.84" x 6.18" x 1.38")
- Suits Wall Opening: >113.0mm x 149.0mm x 35.0mm (4.45" x 5.87" x 1.38"), <123.0mm x 157.0mm x 35.0mm (4.84" x 6.18" x 1.38")

---

**L36229** Front & Rear

---



# Intruder Alarm



### DAHUA Airshield Alarm Kit Including Hub, Internal Siren, External Siren, 2 x PIR and 1 x Magnetic Contact

- Kit with 2 x Key Fobs
- Airshield HUB2 - supports up to 150 wireless peripherals
- Wired, Wi-Fi or GPRS network connection
- SOS emergency alarm
- Cloud update and automatic recovery from update failure
- 110dB external siren - multiple sounds like Fire, medical, intrusion & panic

---

**L36235** Plus 2 x Key Fobs

---



### DAHUA Airshield Alarm Kit Including Hub, Internal Siren, External Siren, 2 x PIR and 1 x Key Pad

- Kit with 1 x Key Pad
- Airshield HUB2 - supports up to 150 wireless peripherals
- Wired, Wi-Fi or GPRS network connection
- SOS emergency alarm
- Cloud update and automatic recovery from update failure
- 110dB external siren - multiple sounds like Fire, medical, intrusion & panic

---

**L36236** Plus 1 x Key Pad

---



# Intruder Alarm Accessories



### DAHUA Airshield Wireless Door Detector Magnetic Contact ARD323-W2(868)

- Wireless magnetic contact
- Low battery indication
- Temperature monitoring
- Battery powered - CR123A
- Sensor and magnet

---

**L36240** Magnetic Contact White

---



### DAHUA Airshield Wireless Door Detector Magnetic Contact Shock & Tilt ARD324-W2(868)

- Wireless magnetic contact
- Low battery indication
- Temperature monitoring
- Battery powered - CR123A
- Sensor and magnet
- Shock & Tilt

---

**L36241** Magnetic Contact White

---





### DAHUA Airshield Wireless Key Fob ARA24-W2(868)

- 4 Buttons
- Button functions - Arm, Part Arm, Disarm & Panic (SOS)
- Battery powered - CR123A

---

**L36242** 4 Button

---



### DAHUA Airshield Wireless Keypad ARK30T-W2(868)

- Arm or disarm via passcode or IC card
- Frequency hopping
- Temperature monitoring
- Battery operated (4 x AA)
- Indicator lights
- Built in buzzer

---

**L36243** 15 Button

---





### DAHUA Airshield Wireless PIR Detector ARD1233-W2(868)

- Dual element low noise PIR detector
- 3 levels sensitivity adjustment
- Pet immunity function
- Auto temperature compensation
- Low battery indication
- Battery powered - CR123A

---

**L36237** PIR White

---



### DAHUA Airshield Wireless PIR/Camera (Indoor) ARD1731-W2(868)

- PIR Camera detector with 2MP CMOS image sensor
- 3 levels sensitivity adjustment
- Maximum resolution 1600 x 1200
- Temperature monitoring
- Low battery indication
- Battery powered - CR123A

---

**L36239** PIR Camera White

---





### DAHUA Airshield Wireless PIR/ Microwave Detector Dualtech ARD2231-W2(868)

- Dual element low noise PIR detector with microwave sensor
- 3 levels sensitivity adjustment
- Pet immunity function
- Auto temperature compensation
- Low battery indication
- Battery powered - CR123A

---

**L36238** PIR Dualtech White

---






**Wiz Sense**

**TiOC**

# 3-in-1 TiOC PTZ

Your highly effective deterrent against intruders



Take your home security to the next level with Dahua's new **3-in-1 TiOC PTZ camera**. Enjoy flexible monitoring, smart illumination and a customisable siren and light system, all in a lightweight and compact design. Enhanced with AI features for immediate response, smart dual-light and auto tracking lite (human only) capabilities, the new TiOC PTZ camera is able to adapt and protect your home, day and night.





# THE MASTERS OF SECURITY DISTRIBUTION

- ✓ Order up until 7pm for Next Day Delivery
- ✓ 25,000 Security Products in stock
- ✓ 300+ Pick Up Point Locations Nationwide
- ✓ Trade Only
- ✓ Paxton's first UK distributor
- ✓ Videx first UK distributor
- ✓ 24/7 Ordering Online or via our Mobile App
- ✓ FOC Carriage on all orders over £100



## WIDE RANGE OF LEADING BRANDS:



SCAN THE QR TO SHOP NOW

T: 0203 007 6061

W: [www.aldridgeaccess.co.uk](http://www.aldridgeaccess.co.uk)

E: [sales@aldridgeaccess.co.uk](mailto:sales@aldridgeaccess.co.uk)



To order or for more information, contact a member of our dedicated Access Control Team. Call **0203 007 6061** or email [sales@aldridgeaccess.co.uk](mailto:sales@aldridgeaccess.co.uk)